

# Timber Specifications

## Fence Posts

Length (m)	Width (mm)	Depth (mm)
1.5	75	75
1.8	75	75
2.1	75	75
2.4	75	75
2.7	75	75
3.0	75	75
1.8	100	100
2.1	100	100
2.4	100	100
2.7	100	100
3.0	100	100

## Posts One Way Weathered

Length (m)	Width (mm)	Depth (mm)
1.8	100	75
2.4	100	75
1.8	125	75
2.1	125	75
1.8	150	75
2.1	150	75

## Rails

Length (m)	Width (mm)	Depth (mm)
3.6	87	38
3.6	100	50
2.4	Ex. 75	75 Arris

## Boards

Length (m)	Width (mm)	Depth (mm)
6'	6"	1.5"
3.6	150	25
3.6	125	25
3.6	100	25
3.6	75	25
4.8	50	25

### Capping

Length (m)	Width (mm)	Depth (mm)
3.6	65	38

### Gate Posts - Tanalised Four Way Weathered

Length (m)	Width (mm)	Depth (mm)
2.1	125	125
2.1	150	150
2.1	175	175
2.4	200	200
2.7	125	125
2.7	150	150
2.7	175	175
2.7	200	200

### Pegs and Tree Stakes – Tanalised, Pointed

Length (m)	Width (mm)	Depth (mm)
0.45	38	38
0.60	47	47
1.20	32	32
1.80	38	38
1.80	50	50
2.40	50	50

### Oak Posts - Other sizes are available to order

Length (m)	Width (mm)	Depth (mm)
1.8	100	100
2.1	125	125
2.1	150	150
2.1	175	175
2.4	100	100
2.4	200	200
2.7	100	100
2.7	125	125
2.7	150	150
2.7	175	175
2.7	200	200

### Railway Sleepers - Used, Creosoted Oak, Grade A1

Length	Width	Depth
--------	-------	-------

8'6"

10"

6"

**Stakes and Strainers – Tanalised, Peeled and Pointed**

Length (m)	Tops (mm)
1.35	50 – 75
1.65	50 – 75
1.65	75 – 100
1.80	50 – 75
1.80	75 – 100
2.10	50 – 75
2.10	75 – 100
2.10	100 – 125
2.10	125 – 150
2.10	150 – 175
2.40	50 – 75
2.40	75 – 100
2.40	150 – 175
2.40	175 – 200
2.70	75 – 100
3.00	75 – 100
3.00	125 - 150

**Half Round Stakes and Rails – Tanalised, Peeled**

Length (m)	Face (mm)
1.65	100 – 125
1.80	100 – 125
3.66	100 - 125

**Stakes and Strainers – Shale Oil, Peeled**

Length (m)	Tops (mm)
1.65	75 – 100
2.10	125 – 150
2.40	75 - 100

**Stakes and Strainers – Tanalised, Machined and Pointed**

Length (m)	Tops (mm)
1.20	50
1.35	50
1.65	75
1.65	100
1.80	50
1.80	100

2.40	60
3.00	85
3.66	100
3.66	125

**Half Round Stakes and Rails – Tanalised, Machined and Pointed**

Length (m)	Face (mm)
1.65	100
3.66	75
3.66	85
3.66	100